

Product Guide

Manufacturers

of Quality

Architectural

Fiberglass

Products



**FIBERGLASS
SPECIALTIES
INCORPORATED**

www.fsiweb.com





Table of Contents

| | |
|--|-------|
| Steeple | 3-10 |
| Steeple & Cupola Accessories | 11 |
| Cupola | 12-14 |
| Lighthouse | 15 |
| Domes | 16 |
| Finials | 17 |
| Steeple & Cupola Installation Guidelines | 18-19 |
| Baptistries | 20-24 |
| Baptistry Accessories | 24-25 |
| Baptistry Installation Guidelines | 24 |
| Baptistry Heaters | 26-27 |
| Optional Items | 26 |
| Wall & Roof Crosses | 28 |

About the Company...

Founded in 1963, Fiberglass Specialties was one of the first manufacturers of fiberglass church baptistries, steeples, and wall crosses. Today we are the market leader, with the largest line of products in the industry. Our strong desire to improve our products and better serve our customers are the driving forces behind our constant innovation.


Fiberglass Specialties is a family owned business, now in its second generation. Owner and President Rocky Hall takes a hands-on approach not unlike that of his father, Howard Hall, who began the company over forty-five years ago.

We invite you to visit our 65,000 square foot manufacturing and office facility and see for yourself why Fiberglass Specialties is a name you can trust.

RULE OF THUMB—Architects generally select a steeple that is about the same height as the distance from the ground to the peak of the roof of the building.

NOTE: All measurements, weights, and drawings shown in the catalog are rounded off and approximate.

Steeple & Cupola Elements



120 MPH WINDLOAD RATING
CERTIFIED BY INDEPENDENT
ENGINEERING FIRM (TX SEAL)

150MPH ALSO AVAILABLE

OPTIONAL UL RECOGNIZED
LIGHTNING PACKAGE

OPTIONAL STEEPLE CROSS

SIMPLE BOLT TOGETHER CONNECTION
FOR EASE OF INSTALLATION

FIBERGLASS REINFORCED POLYESTER
WALLS WITH A FLEXURAL STRENGTH
UP TO 29,000 PSI

ENVIRONMENTALLY FRIENDLY LOW
EMISSION GELCOATS WON'T CRACK
OR PEEL AND ARE EXTREMELY
RESISTANT TO UV RADIATION

COLLAR-TO-COLLAR FIT AND
OVERHANGING LIP CREATE A
WEATHER-RESISTANT SEAL

WELDED TUBULAR STEEL CREATES
A UNITIZED FRAMEWORK INTERIOR
STRUCTURE

EASY BOLT-TOGETHER
INSTALLATION

ONE-PIECE (WELDED) TUBULAR STEEL
ANCHOR COLLAR INTEGRALLY ATTACHED
TO BASE (THERE'S NO STRUCTURAL
LUMBER IN ANY FSI UNIT!)

OVERSIZED ACCESS PANEL WITH
STAINLESS STEEL SCREWS AND
BEAUTY CAPS

**Use this page to compare FSI to other companies' products.
Some claim steel but only use angle iron
and most only use soft wood lumber.
No structural lumber is used in any FSI product.**

Complete Steeple Units

All prices are FOB Henderson, Texas
Please call for freight rates

SB Series Steeples - One Piece Steeple Units

These one-piece steeples have been among our most popular models for many years.

Their simple, elegant design makes them suitable for a wide variety of architectural styles.




SB-10
10' Height, 30" Base
150 lbs
In Stock



SB-14
14' Height, 33" Base
175 lbs
In Stock




SB-19
19' Height, 40" Base
250 lbs



SB-24
24' Height, 47" Base
375 lbs

Shown with optional
cross cut-out




SB-28
28' Height, 59" Base
500 lbs

Steeple Unit #24B

Height: 18'
Base: 3'8"
450 lbs

One piece unit




False louvers (square top)
Vented louvers (square top)
Krinklglass windows (square top)

Steeple Unit #23

Height: 21'
Base: 3'7"
400 lbs

Components:
Spire #817
Base Cupola #801




As Shown

Steeple Unit #6

Height: 23'
Base: 4'0"
445 lbs

Components:
Spire #118s
Base Cupola #301



As Shown




Fiberglass steeples never need painting!

The gel-coat on your fiberglass steeples is an integral part of the laminate, so it can't crack and peel off like painted surfaces. Our "Armor Flex" gel-coats are extremely resistant to the sun's damaging ultraviolet rays.

Complete Steeple Units

All prices are FOB Henderson, Texas
Please call for freight rates

Steeple Unit #28




Height: 24'
Base: 4'0"
400 lbs

One piece unit



False louvers (square top)
Vented louvers (square top)
Krinklglass windows (square top)
Also available in round top

Steeple Unit #24




Height: 25'
Base: 4'7"
630 lbs

Components:
Spire #817
Base Cupola #802



False louvers (square top)
Vented louvers (square top)
Krinklglass windows (square top)
Also available in round top

Steeple Unit #5



Shown w/ round top
and false louvers


Height: 27'
Base: 5'0"
750 lbs

Components:
Spire #616
Cupola: #602
Base Cupola #604




False louvers (round top)
Vented louvers (round top)
Krinklglass windows (round top)

Steeple Unit #22




Height: 27' to 29'
Base: 4'8"
550 to 600 lbs

Components:
Spire #621
Base Cupola #601 EX



False louvers (round top)
Vented louvers (round top)
Krinklglass windows (round top)

Steeple Unit #27




Height: 25'
Base: 6'0"
1085 lbs

Components:
Spire #114
Cupola #405
Base Cupola #607




Vented louvers (round top)
Krinklglass windows (round top)

Steeple Unit #33



Height: 29'4"
Base: 6'0"
1025 lbs

Components:
Spire #116
Cupola #408
Base Cupola #607



Vented louvers
Krinklglass windows

Independent Third Party Engineering Certification –


Only Fiberglass Specialties, Inc. has had their engineering reviewed and certified by an independent third party engineering firm. All steeples are certified to withstand wind loads up to 120 mph. Engineering seals for all 50 states available for a slight additional charge. Engineered for 150 mph also available at additional cost.



Complete Steeple Units

All prices are FOB Henderson, Texas
Please call for freight rates

Steeple Unit #25




Height: 30'
Base: 6'0"
750 lbs

Components:
Spire #822
Base Cupola #803



False louvers (square top)
Vented louvers (square top)
Krinklglas windows (square top)
Also available in round top

Steeple Unit #4



*Shown w/ round top
and Krinklglas window*


Height: 31'
Base: 5'0"
775 lbs

Components:
Spire #621
Cupola #603
Base Cupola #604



False louvers (round top)
Vented louvers (round top)
Krinklglas windows (round top)

Steeple Unit #2



*Shown w/ round top
and vented louvers*


Height: 36'
Base: 7'8"
1330 lbs

Components:
Spire #621
Cupola #601
Base Cupola #704



False louvers (round top)
Vented louvers (round top)
Krinklglas windows (round top)

Steeple Unit #8



*Shown w/ square top
and Krinklglas window*


Height: 35'
Base: 7'6"
1350 lbs

Components:
Spire #621
Cupola #601
Base Cupola #703



As shown (square top)
False louvers (round top)
Vented louvers (round top)
Krinklglas windows (round top)

Steeple Unit #13




Height: 32'
Base: 6'0"
950 lbs

Components:
Spire #621
Cupola #605
Base Cupola #607



Vented louvers (round top)
Krinklglas windows (round top)

Steeple Unit #14



Height: 32'
Base: 6'0"
1000 lbs

Components:
Spire #621
Cupola #605C
Base Cupola #607



Vented louvers (round top)
Krinklglas windows (round top)



Each steeple is pre-fit for a smooth installation...

Our own 40' mounted crane stands next to our loading dock, allowing us to check the fit and alignment of each component of your steeple unit before loading onto the truck. This helps minimize costly delays during installation.

Complete Steeple Units

All prices are FOB Henderson, Texas
Please call for freight rates

Steeple Unit #20
Steeple Unit #21

Height: 36'
Base: 7'4"
1325 lbs

Components:
Spire #728
Cupola #709

Height: 32'
Base: 6'0"
850 lbs

Components:
Spire #724
Cupola #708

Steeple Unit #29

Height: 39'
Base: 6'9"
1250 lbs

Components:
Spire #621
Cupola #603
Cupola #205
Base Cupola #710

Vented louvers
Krinklglas windows

Steeple Unit #9

Height: 40'
Base: 7'6"
1500 lbs

Components:
Spire #726
Cupola: #601
Base Cupola #703

False louvers (round top)
Vented louvers (round top)
Krinklglas windows (round top)

Steeple Unit #1

Shown w/ round top and false louvers

Height: 42'
Base: 7'8"
1505 lbs

Components:
Spire #728
Cupola #701
Base Cupola #704

False louvers (round top)
Vented louvers (round top)
Krinklglas windows (round top)

Steeple Unit #7

Shown w/ gothic top and vented louvers

Height: 42'
Base: 7'6"
1525 lbs

Components:
Spire #728
Cupola #701
Base Cupola #703

Shown with optional gothic louvers

Gothic Top (optional)
False louvers (round top)
Vented louvers (round top)
Krinklglas windows (round top)

Steeple Unit #15

Height: 44'
Base: 7'6"
1725 lbs

Components:
Spire #728
Cupola #608
Base Cupola #703

Vented louvers (round top)
Krinklglas windows (round top)

Steel Anchoring...


One of the most critical stress points on a steeple is the point of attachment to the roof. While others use wood, we use tubular steel anchoring members (not angle steel) in all our steeple units for maximum strength and durability.



Complete Steeple Units

All prices are FOB Henderson, Texas
Please call for freight rates

Steeple Unit #19




Height: 43'
Base: 7'6"
1785 lbs

Components:
Spire #728
Cupola #608C
Base Cupola #703



Vented louvers (round top)
Krinklglass windows (round top)

NEW! Steeple Unit #50




Height: 49'
Base: 10'0"
2500 lbs

Components:
Spire #1032
Cupola #1050
Cupola #1076



Vented louvers (round top)
Krinklglass windows (round top)

Steeple Unit #11




Height: 48'
Base: 10'0"
2600 lbs

Components:
Spire #1032
Cupola #1050
Base Cupola #705



Vented louvers (round top)
Krinklglass windows (round top)

Steeple Unit #12




Height: 49'
Base: 8'9"
2500 lbs

Components:
Spire #1032
Cupola #1050
Base Cupola #1075



Vented louvers (round top)
Krinklglass windows (round top)

NEW! Steeple Unit #51



Height: 41'
Base: 7'6"
1525 lbs


Components:
Spire #621
Cupola #609
Cupola #608C
Base Cupola #703



Applied molding
included!

Vented louvers
Krinklglass windows

Steeple Unit #30



Height: 52'
Base: 10'0"
3300 lbs

Components:
Spire #1032
Cupola #208
Base Cupola #705



Vented louvers (round top)
Krinklglass windows (round top)



Specially formulated gel coats...

Because of the uniqueness of our products and large sales volume, FSI has gel coats specially formulated for exterior applications. Our low styrene extra hard gel coats maintain their color and resist hailstones.


Complete Steeple Units

All prices are FOB Henderson, Texas
Please call for freight rates

Steeple Unit #35

Height: 53'
Base: 7'6"
2450 lbs

Components:
Spire #728
Cupola #608C
Base Cupola #409




Unit shown with
optional wreath



Vented louvers
Krinklglas windows

NEW! Cross Base

This new base is adaptable to many spire and cupola combinations. The cross is raised 4" and can be painted an alternate color or made translucent with backlighting. An optional wreath is also available. SU 35 and SU 39 are just two examples. Consult factory for more information.




Components:
Cupola #409



Steeple Unit #39

Height: 54'
Base: 10'0"
3350 lbs

Components:
Spire #728
Cupola #701
Cupola #409R
Base Cupola #705



Unit shown with
optional wreath




False louvers
Vented louvers
Krinklglas windows

Steeple Unit #10

Height: 54'
Base: 10'0"
2750 lbs


Components:
Spire #728
Cupola #701
Cupola #706
Base Cupola #705



False louvers
Vented louvers
Krinklglas windows

NEW! Base & Cupola


FSI's new base and cupola can be matched with many spire and upper cupola combinations for a more modern appearance. SU10 and SU42 are just two examples. Consult factory for more information.



Steeple Unit #42

Height: 47'
Base: 10'0"
2950 lbs

Components:
Spire #621
Cupola #601
(Shown with
optional square top)
Cupola #706
Base Cupola #705




Cupola #601
False louvers
Vented louvers
Krinklglas windows
Cupola #706
False louvers
Vented louvers
Krinklglas windows

Complete Steeple Units

All prices are FOB Henderson, Texas
Please call for freight rates

#714 Base




Looking to increase the height or visual impact of your steeple?

Try adding our extra large base to a steeple or cupola. Consult factory for more information.

(Note: Escorted Load)

NEW! Clock Base




Shown with optional 4' clock

FSI's new clock base can be adapted to several FSI cupolas and steeples. Consult factory for details.

Cupola 1076

Carillon Screen


Vented louvers deflect much of the sound and clarity coming from an expensive carillon system. FSI's Carillon screen will allow 90% sound transmission.




Modifications

Many FSI products can be modified to create a unique appearance.

Consult factory for pricing on molding, special windows, extending molds, etc.



Spire Crosses



These crosses are designed to be added to any of our steeple or cupola units.

All have a 2" square aluminum body size, and may be ordered with or without lightning package.

To further enhance the look of your steeple, add a 6" or 9" ball to your spire cross.


Celtic Cross Also Available.
Consult Factory

Cross must be ordered with steeple

| | |
|------------------|--------------|
| 24" Cross | Item #2-SS |
| 36" Cross | Item #3-SS |
| 48" Cross | Item #4-SS |
| 6" Diameter Ball | Item #Ball-6 |
| 9" Diameter Ball | Item #Ball-9 |


Lightning Package

Lightning Package for attachment to customer's lightning protection system. Package consists of a 12" x 5/8" nickel plated, copper air terminal, coupling, and 17 gauge woven copper cable to base of unit.




Decorative Urns


Designed to coordinate with our steeple units, they may be used alone or with one of our railing systems.



U-25



U-11
U-15
U-20




U-12
U-24
U-36

Railings


Available in three popular styles, these railing systems are made from durable, low maintenance fiberglass or aluminum.

Whether used atop a tower at the base of your steeple, or used independently, these railings will provide many years of trouble-free service.


Urns and Balls available for post top decoration. Consult factory for pricing.



Solid Panel Railing
(Number of panels varies by length)



Picket Railing



Balustrade Railing


Complete Cupola Units

All prices are FOB Henderson, Texas
Please call for freight rates

Cupola #CU1104

Height: 3'6"
Base: 3'0"
75 lbs


One piece unit



Vented louvers

Cupola #CU1156


Height: 5'6"
Base: 3'0"
150 lbs



Vented louvers
Krinklglass windows

Cupola #CU1162


Height: 5'6"
Base: 3'0"
150 lbs



Vented louvers
Krinklglass windows

Cupola #CU1170


Height: 7'0"
Base: 3'0"
225 lbs



False louvers (square top)
Vented louvers (square top)
Krinklglass windows (square top)

Cupola #CU1170H


Height: 7'0"
Base: 3'0"
225 lbs



False louvers (square top)
Vented louvers (square top)
Krinklglass windows (square top)

Cupola #CU1103


Height: 8'3"
Base: 3'8"
325 lbs



False louvers (round top)
Vented louvers (round top)
Krinklglass windows (round top)

Cupola #CU1103S


Height: 8'3"
Base: 3'8"
325 lbs



False louvers (round top)
Vented louvers (round top)
Krinklglass windows (round top)

Cupola #CU1105


Height: 9'0"
Base: 4'0"
350 lbs
One piece unit



False louvers (round top)
Vented louvers (round top)
Krinklglass windows (round top)

Cupola #CU1190

Height: 9'0"
Base: 3'8"
350 lbs




False louvers (square top)
Vented louvers (square top)
Krinklglass windows (square top)

Complete Cupola Units

All prices are FOB Henderson, Texas
Please call for freight rates

Cupola #CU1190H


Height: 9'0"
Base: 3'8"
350 lbs



False louvers (square top)
Vented louvers (square top)
Krinklglass windows (square top)

Cupola #CU1100

Height: 10'9"
Base: 4'6"
525 lbs




Dome #802
Cupola #802

False louvers (square top)
Vented louvers (square top)
Krinklglass windows (square top)
Round top also available

Cupola #CU1100H

Height: 10'9"
Base: 4'6"
525 lbs



Dome #802H
Cupola #802

False louvers (square top)
Vented louvers (square top)
Krinklglass windows (square top)
Round top also available

Cupola #CU1107


Height: 14'6"
Base: 5'0"
600 lbs
Dome #603H
Cupola #603
Base Cupola #604



False louvers (round top)
Vented louvers (round top)
Krinklglass windows (round top)
Square top also available

Cupola #CU1102

Height: 13'8"
Base: 6'0"
700 lbs




Dome/Cupola #605A
Base Cupola #607

Vented louvers (oval only)
Krinklglass windows (oval only)

Cupola #CU1165

Height: 10'9"
Base: 4'0"
430 lbs
Cupola #1156
Cupola #1105



False louvers
Vented louvers (bottom unit only)
Krinklglass windows (bottom unit only)

Cupola #CU1101


Height: 14'6"
Base: 7'0"
1025 lbs
Dome #701
Cupola #701
Base Cupola #702



False louvers (round top)
Vented louvers (round top)
Krinklglass windows (round top)

Cupola #CU1101H


Height: 14'6"
Base: 7'0"
1025 lbs
Dome #701H
Cupola #701
Base Cupola #702



False louvers (round top)
Vented louvers (round top)
Krinklglass windows (round top)

NEW! Cupola #CU1101RD

Height: 14'6"
Base: 7'0"
1025 lbs
Dome #701RD
Cupola #701
Base Cupola #702




False louvers (round top)
Vented louvers (round top)
Krinklglass windows (round top)

Complete Cupola Units

All prices are FOB Henderson, Texas
Please call for freight rates

Cupola #CU1400

Height: 18'0"
Base: 8'0"
1550 lbs




One piece unit



Vented louvers (square top)
Krinkglas windows (square top)

Cupola #CU1109H

Height: 22'0"
Base: 10'0"
2150 lbs



Dome #1050
Cupola #1050
Base Cupola #705


Order CU1109
for "Dome top"
as shown
on CU1108



Vented louvers (round top)
Krinkglas windows (round top)

Cupola #CU1108

Height: 21'6"
Base: 8'9"
2100 lbs



Dome #1050
Cupola #1050
Base Cupola #1075


Order CU1108H
for "Hat style"
as shown
on CU1109



Vented louvers (round top)
Krinkglas windows (round top)

NEW! Cupola #CU1108CB

Height: 21'6"
Base: 10'0"
2100 lbs




Dome #1050
Cupola #1050
Base Cupola #1076



Vented louvers (round top)
Krinkglas windows (round top)

Cupola #CU1127

Height: 11'8"
Base: 6'0"
900 lbs




Cupola #405
Base #607



Vented louvers
Krinkglas windows

Cupola #CU1200

Height: 21'0"
Base: 10'0"
2100 lbs




Dome/Cupola #1250
Base Cupola #705



Vented louvers (round top)
Krinkglas windows (round top)

Cupola #CU1106H

Height: 25'6"
Base: 10'0"
2200 lbs




Dome #701H
Cupola #701
Cupola #700
Base Cupola #705



False louvers (round top)
Vented louvers (round top)
Krinkglas windows (round top)

NEW! Cupola #CU1106CB

Height: 25'6"
Base: 10'0"
2200 lbs




Dome #701
Cupola #701
Cupola #700
Base Cupola #1076



False louvers (round top)
Vented louvers (round top)
Krinkglas windows (round top)

Cupola #CU1300

Height: 28'0"
Base: 10'0"
2800 lbs




Top Cupola #1103A
Dome Cupola #1301
Base Cupola #705



Vented louvers (round top)
Krinkglas windows (round top)

Lighthouse



#LH1

Height: 29'0"

Base: 8'8"

2100 lbs

Components:

Cupola #CU-1105

Optional Picket Railing


Base Cupola #2007

FSI's new Lighthouse is the perfect element for commercial, marina, and even religious facilities. The Lighthouse can be ground or roof mounted. Backlighting of the windows is also available.

FSI manufactures both standard and custom domes. Domes up to 8' are shipped as a single unit, ready to lift and install. Domes up to 16' are shipped in two sections with assembly materials and pre-drilled bolt holes. Special finishes (including copper) are available for an additional charge. Custom domes are also available. Consult factory for pricing.


DOME 6

Smooth Dome
6' Diameter,
3' Radius
Weight: 175 lbs.




DOME 8

Smooth Dome
8' Diameter,
4' Radius
Weight: 305 lbs.




DOME 10

Smooth Dome
9'6" Diameter,
4'9" Radius
Weight: 475 lbs.




DOME 12

Smooth Dome
12' Diameter,
6' Radius
Weight: 1135 lbs.




DOME 16 / DOME 16S

16' Diameter,
8' Radius
Weight: 1540 lbs.


















CUSTOM DOME

Custom Domes of
all sizes available
- consult factory




FSI has a large variety of standard finials. Many of the designs can be added to our standard cupolas. Custom finials are also available. All finials are round, some with square bases.

| | | | | |
|--|--|---|---|---|
| <p>FIN 01</p> <p>Height: 1'11" Base: 6"</p>  <p>Square Base</p> | <p>FIN 02</p> <p>Height: 3'0" Base: 6"</p>  <p>Square Base</p> | <p>FIN 03</p> <p>Height: 3'3" Base: 1'0"</p>  <p>Square Base</p> | <p>FIN 04</p> <p>Height: 4'7" Base: 6"</p>  <p>Square Base</p> | <p>FIN 05</p> <p>Height: 4'2" Base: 1'3"</p>  <p>Square Base</p> |
| <p>FIN 06</p> <p>Height: 5'0" Base: 9"</p>  <p>Square Base</p> | <p>FIN 07</p> <p>Height: 5'10" Base: 8"</p>  <p>Square Base</p> | <p>FIN 08</p> <p>Height: 6'4" Base: 4"</p>  <p>Square Base</p> | <p>FIN 09</p> <p>Height: 6'8" Base: 2'3"</p>  <p>Square Base</p> | <p>FIN 10</p> <p>Height: 7'0" Base: 1'3"</p>  <p>Square Base</p> |
| <p>FIN 11</p> <p>Height: 9'3.5" Base: 9.5"</p>  <p>Square Base</p> | <p>FIN 12</p> <p>Height: 10'0" Base: 10"</p>  <p>Square Base</p> | <p>FIN 13</p> <p>Height: 12'0" Base: 2'0"</p>  <p>Square Base</p> | <p>FIN 14</p> <p>Height: 3'3" Base: 10"</p>  <p>Square Base</p> | <p>MOUNTING</p> <p>Shown with optional "LP"</p>  |

NOTE: All finials, except FIN 14, available with Lightning Package. FSI standard colors and custom colors available.

Steeple & Cupola Installation



Unloading

When your new steeple arrives, you should plan to have adequate manpower to assist the driver in unloading. It is important to check the steeple for freight damage at this point, and report any irregularities immediately.

Anchor Holes

Your steeple will arrive with tubular steel anchoring members at its base; holes for the anchor bolts are pre-drilled. Because of the many different roof pitches and types, these holes are difficult to locate precisely in advance; therefore, we recommend that your installer not attempt to locate exact anchor points until the steeple is on site.

Assembly

Your new steeple will be delivered in sections (except for one-piece units). Bolts will be provided with which to assemble the various components. Your installer will need to provide the bolts that anchor the base unit to the roof.

Waterproofing

Our steeples and cupolas are typically designed to be mounted above the finished roof surface, not open to the building below. Although they are designed to be leak resistant, they are not insulated; therefore, condensation can occur inside the steeple. Openings such as vented louvers can also allow moisture to enter the unit. For these reasons, we recommend waterproofing any roof openings under the steeple, including sealing around all anchor bolts.

Typical Anchoring Detail

Because every building is different, exact installation techniques will vary. The drawing below demonstrates one of the most commonly used anchoring methods.


The installer should verify that the steeple or cupola is firmly bolted to structural members sufficient to withstand the wind load forces imposed by the steeple. Fiberglass Specialties, Inc.

can provide these loads to your building engineer or architect upon request.


All FSI steeples are designed to rest on the fiberglass panels or the steel anchoring collar.

To prevent shingle damage, the installer may wish to rest the fiberglass edge on a metal flashing. This can be easily installed by attaching it to the steeple base.

Steel Anchoring!




Standing Seam Roof Installation




Mounting ring for top of customer's piers also available from FSI (delivered with unit). Consult factory for pricing.


Roof Pitch Information



Single Ridge



4-Way Hip Roof




4-Way Ridge (Gable)

HOW TO...

find your roof pitch!

To determine the pitch of your roof, place a level against the roof as shown below. From the point where the level touches the roof, measure out 12 inches. From this point, measure the distance, in inches, down to the roof. The number out will always be 12. For example, the roof pitch here would be expressed as 6" on 12".



Your Fiberglass Specialties steeple will arrive with the roof pitch pre-cut to your specifications, so installation is simple! It is crucial, however, that you provide us with accurate information. Please study this section carefully before ordering.

Design Purpose:

T Models - An off-set tank to provide more room for baptism!

S Models - The perfect blend of size and economy!

R Models - Perhaps our most beautiful baptistries are Round!

V Models - Select your own entry angle!

EZ Models - Allows the minister to remain dry!

LG Models - Largest baptism tank!

M Models - "Modular" - Create your own design!

Mini Models - For limited space!


EZ-P Models - Portable!

Compare...

- ✓ A unique, patented* new design style features more generous step treads for improved safety and comfort. (All Baptistry steps were designed with 11" treads 7" risers as required by National Model Building codes such as BOCA, SBCCA, UBC and the 2000 International Building Code).
- ✓ The steps flow into the tank area, creating a built in child's step within the tank area.
- ✓ Step treads feature a "raised circular disk" pattern widely used in commercial applications. This pattern provides a high level of slip resistance and offers easy cleaning.
- ✓ The overall design concept of all Series 2000 baptistries maximizes usable space and minimizes wasted space. This approach conserves water, and reduces costs associated with heating the water.


*U.S. Patent Number 5,790,990

"T" Model Baptistries




One of our most popular styles, these double entry baptistries feature an offset tank to provide more room for the baptism. As with all Series 2000 baptistries, the steps flow into the tank area, providing a more comfortable entrance and exit.


The T2 is available in three sizes as shown below. The T2S and T2M are 3'6" deep, and the T2L is 4'0" deep. All WF and WB styles feature a 12" viewing window as shown.




T2S




T2M




T2L




T2S-WF




T2M-WF




T2L-WF



T2S-WB



T2M-WB



T2L-WB


T2S Models:
Height: 3' 6" inside
Shipping weight: 290 lbs
Capacity: 550 gal.

T2M Models:
Height: 3' 6" inside
Shipping weight: 385 lbs
Capacity: 800 gal.

T2L Models:
Height: 4' 0" inside
Shipping weight: 460 lbs
Capacity: 1050 gal.

"S" Model Baptistries



Choose from double or single entry models



These simple, yet versatile baptistries are the perfect blend of size and economy.


All "S" Models are 3' 6" deep.

Models designated with "W" feature a 12" tall viewing window.




S2


S1



S1-WL
Left Entry
Window Right



S2-W




S1-WR
Right Entry
Window Left

S2 Models:
Height: 3' 6" inside
Shipping weight: 335 lbs
Capacity: 690 gal.


S1 Models:
Height: 3' 6" inside
Shipping weight: 274 lbs
Capacity: 590 gal.

"EZ" Model Baptistries




Minister stays dry behind baptismy


EZ2 Models:
Height: 3' 6" inside
Shipping weight: 315 lbs
Capacity: 465 gal.



EZ1 Models:
Height: 3' 6" inside
Shipping weight: 230 lbs
Capacity: 350 gal.



EZ2-W




EZ1


EZ Models are easier because they allow the minister to remain dry—outside the baptismy—during the baptism.

The candidate is baptized from a seated position on a molded in platform, making the process easier than with conventional baptistries.

As with all Series 2000 baptistries, the EZ Models feature wider, more comfortable steps for a safer, more relaxed entry.



EZ1-WR
Right Entry
Window Left



EZ1-WL
Left Entry
Window Right

Baptistries are available in 4 standard colors...


Choose any of our four standard colors: *Blue* (our most popular), *Aqua* (a soft blue-green mix), *Bone* (light tan), or *White*. Custom match colors are also available.



Series 2000 Baptistries

All prices are FOB Henderson, Texas
Please call for freight rates


"R" Model Baptistries



The degree of angle may be varied to meet your requirements.

Perhaps the most beautiful baptistries, these round models offer the same comfortable, code designed step treads as all our Series 2000 models.


The steps flow into the tank, creating a built-in child's step.



R1-R




R1-C




R1-L

R1 Models:
Height: 3' 6" inside
Shipping weight: 395 lbs
Capacity: 715 gal.


R2 Models:
Height: 3' 6" inside
Shipping weight: 460 lbs
Capacity: 850 gal.



R2




R2-90



R2-45


"V" Model Baptistries




Window option not available

All Models

V-S2



V-T2M




Specify degree of angle.

"V" Models are customized from most of our double entry models except EZ Series.

The angle may be varied to meet your design requirements.


"Mini" Model Baptistries



MINI
(Baptistry only)
Optional window

The "Mini" baptistry was designed for churches who have very limited space, but want a built-in baptistry.

Just large enough for two people, the "Mini" can be installed below the stage and covered with 4' x 8' platform.



Height: 3' 6" inside
Shipping weight: 215 lbs
Capacity: 490 gal.

With no room for steps, the "Mini" was designed to be used with our "Handi-Step" removable stepladder system.

The "Handi-Step" is a removable stepladder system that can be used with our "Mini" or "MX" baptistries.

The sloped steps and angled handrail make this system safe to use and suitable for the elderly or infirm.




HS-1
Shipping weight: 60 lbs

"M" Model Baptistries

The "M" is for "modular"; with these models, you create your own design!

Pick

a model shown below, or use the diagram to create your own unique style.




Example: M2-AC-W


Number of step entries

Location of step entries

Optional Window



M1-A
Height: 3' 6" inside



Step Entry Location Diagram


| | <u>Ship Weight</u> | <u>Capacity</u> |
|--------------------------|--------------------|-----------------|
| MX Models (No Steps) | 285 lbs | 705 gal. |
| M1 Models (Single Entry) | 350 lbs | 750 gal. |
| M2 Models (Double Entry) | 415 lbs | 795 gal. |

Optional Window (All Models)


Windows are located as shown on M2-AC-W model. Please specify if you wish a different location.

NEW! "LG" Model Baptistries

FSI's new "LG" Series pool has an extra large tank area for the baptism. It's perfect for witnesses or family baptism.



Step Entry Location Diagram



Example: LG2-AC-W

Number of step entries

Location of step entries

Optional Window

| | <u>Ship Weight</u> | <u>Capacity</u> |
|------------|--------------------|-----------------|
| LG Models | 315 lbs | 1185 gal. |
| LG1 Models | 379 lbs | 1230 gal. |
| LG2 Models | 444 lbs | 1275 gal. |
| LG3 Models | 509 lbs | 1320 gal. |

Optional Window: 6' Long Side


Customer to specify window location

Series 2000 Baptistries

All prices are FOB Henderson, Texas
Please call for freight rates

Portable Baptistry

EZ-P Model:
Height: 3' 0" inside
Shipping weight: 230 lbs
Capacity: 100 gal.



This freestanding portable unit is finished, molded fiberglass inside and out. Using only 100 gallons of water, it requires no plumbing, and is small enough to fit through most doors. As with all EZ models, the candidate is baptized from a seated position.

Portable Pools and Heater in Stock!

NEW! Portable Heater



Perfect for portable, movable, and small in-place pools.

This new heater can fill, drain, circulate, and heat from either a 120v or 240v power source. With built in GFCI protection this unit will heat much faster and is safer to use than traditional Over the Side heaters. It is the only portable heater that is UL listed for use in baptismal pools.

EQAS P-120 = 1000 watt/120v (15 amp/120v)
EQAS P-240 = 4000 watt/240v (30 amp/240v)

No holes to drill ! Ready to heat !



Our steps are safer...


The steps leading in and out of our Series 2000 Baptistries are wider and less steep than other baptistries, making entrance and exit easier and more comfortable. The 7" rise and 11" step conforms to national building codes.

Baptistry Accessories

All prices are FOB Henderson, Texas
Please call for freight rates

Drip Landings

Place these fiberglass landings at the top of your baptistry steps to catch dripping water from wet robes.




#ACC-140
3'-9" square

#ACC-145
3'-3" square

Child's Step


Removable step raises short children 12" for visibility. Includes toe-hold bar and suction cups for attachment.



#ACC-130

Seat / Platform



This versatile accessory can be used as a step for children or as a seat for adults. Includes toe-hold bar and suction cups for attachment.



#ACC-160

Baptistry Installation

Shown here is a typical baptistry installation. Details may vary from building to building. In general, all baptistries should be supported underneath with a flat surface, and framed in at the top lip with stud walls.



AquaGuard Finish


Our standard baptistries are made with the highest quality and finish available in the industry. To preserve this finish we recommend that the baptistry be drained after each use and left empty until needed. Leaving water standing in the baptistry for extended periods may damage the gel-coat surface.

For those churches who plan to leave the baptistry filled for extended periods, we recommend our "AquaGuard" finish option. This special process provides an extra level of protection against blistering and spotting caused by prolonged water contact.

We guarantee baptistries purchased with the AquaGuard Finish option against surface blistering, peeling, or cracking for five (5) years when installed and maintained according to instructions.

Optional Window

Available as an option on most baptistries, this 12" tall acrylic window allows better viewing of the baptism. This is especially helpful if the baptistry is elevated above ground level.



The sturdy 1/2" acrylic window is shipped in protective paper, with silicone sealant for installation by your contractor. We recommend installing the window last, to prevent possible damage.

Series 2000 baptistries feature an improved window system, making installation practically foolproof.

Baptistry Heaters

All prices are FOB Henderson, Texas
Please call for freight rates

EQAS Baptistry Heater

Efficient, Quiet, Affordable, & Safe. That's what EQAS means to our customers. It's easy to install using factory wired, plug together connectors for the pump and the optional EQAS 2000 Autofill device. An air button (included) can be mounted top side on the pool to control the on-off operation of the heater if the customer wishes.

Standard features include a built in Ground Fault Circuit Interrupter, Time Clock, and Thermostat. The unit is manufactured using all UL Registered parts and an ETL listing. The heater, pump, and all necessary fittings, including a mounting base, are delivered in one box. Heater also operates on 208V with reduced efficiency.




Electrical requirements:
H-5 = 2 pole, 40 amp
H-5 + Booster = 2 pole 60 amp
Heater size (with pump installed)
16" tall, 24" wide, 16" deep



H-5
Shown

Optional Items


Deck Mounted Manual Fill Faucet



Chrome plated, single valve faucet. Can be easily mounted at any desired location on rim. For 1/2" connections.

#200


Flush Port Manual Fill Valve



Attractive flush port with brass fill valve, operated from behind the baptistry. Uses 3/4" connections.

#300


EQAS 2000 Autofill



Turn this unit on, and an electric fill valve opens to fill the baptistry, then closes when the baptistry is full. If left on, system will cycle on and off to maintain proper water level.

#2000


Manual Drain Unit



Our most economical drain system, this unit includes chrome plated fittings, an overflow with a mechanical trip lever, and all necessary fittings for installation.

#172 for 3'-6' baptistries #172B for 4' baptistries


Deluxe Manual Drain



Unique "Free Flow" design uses an external cable linkage. Highest quality machined fittings assure positive seal to prevent seepage. Drain is activated by an attractive rotating knob on the overflow.

#185 for 3'-6' baptistries #185B for 4' baptistries

Filter/Skimmer



Designed for use with our H or S series heating systems. Washable filter insert.

FILTER

Heater Packages

ECONOMY SYSTEM
H-5 Heater
200 Surface Fill Faucet
172 Manual Drain

STANDARD SYSTEM
H-5 Heater
300 Flush Fill Port
185 Manual Drain

DELUXE SYSTEM
H-5 Heater
EQAS 2000 Autofill
185 Manual Drain

For larger pools or faster heating, add the EQAS Booster Pack!

Baptistry Heaters

All prices are FOB Henderson, Texas
Please call for freight rates

EQAS Automatic Baptistry Heating System



S-5 + Booster Shown

Electrical requirements:
S-5 = 2 pole, 40 amp
S-5 + Booster = 2 pole 60 amp
Heater size (with pump installed)
16" tall, 24" wide, 16" deep



Heater
Auto Fill
Auto Drain
Plug-In Options




Our "S Series" EQAS heaters have all the features of our "H Series" heaters, but add the convenience of fully automatic control. This system allows for automatic fill, automatic water level control, and automatic drain. From the front of the unit or from poolside, the on/off and fill/drain functions can be initiated. Temperature and Time Clock settings are easily pre-set on the front of the heater. Heater, pump, controllers, wiring, and all necessary fittings are shipped in one box.

EQAS S-5: 5.5kw heater with automatic control system

EQAS S-5 + Booster: 11kw heater with automatic control system

NOTE: System can operate on 208-volt with reduced efficiency

EQAS Booster Pack



For use with larger pools or for those that just want to heat their pools faster, the EQAS booster pack is easy to add to any EQAS H-5 or S-5 heater order. The Booster Pack easily attaches to any EQAS heater. No need to run a second power line, the Booster Pack plugs into any EQAS heater! The combination of the EQAS heater and Booster Pack requires a 2P/60 amp circuit breaker and appropriate sized wiring from the breaker box to the heater. The GFCI protection built into all EQAS heaters is rated for 60 amps.

Optional Items

Optional Secondary Heater



EQAS OSH

For larger baptismal pools (like the LG) or for those that just want to heat the water faster, our Remote Heater is the perfect answer. This 11kw heater comes with its own separate heater and pump. It plugs into any S Series product for single location control of temperature and operation. As with all EQAS heaters, the GFCI is built in.
NOTE: Requires separate 60 amp/240V circuit.

Remote Controller


EQAS Remote



For situations where the heater may be difficult to access for temperature control, this is the perfect solution. Our Remote Controller can be mounted in any wall and allows for full operation of on/off, fill/drain, and temperature control. A digital read out displays the temperature of the baptismal pool water.

This system replaces FSI's AT-55 or CZ-11 and COM-1 products.

Roof Mounted Crosses



Roof mounted crosses are an easy way to accessorize your church. They can be mounted on the main church building or an adjacent facility such as Sunday School or Conference Center.

These roof mounted crosses are manufactured from high quality structural aluminum with a steel base plate. The aluminum is then coated with a polymer resin similar in chemical composition to fiberglass gel coat. They are lightweight and easy to install. Standard colors listed below, but custom colors are available at an additional charge.

| Model | Height | Width | Weight |
|-------|--------|-------|---------|
| RM36 | 36" | 22" | 65 lbs. |
| RM48 | 48" | 30" | 75 lbs. |
| RM60 | 60" | 36" | 85 lbs. |
| RM72 | 72" | 41" | 95 lbs. |

Price does not include freight charges. Consult factory for freight adders.


Options:

- BL Ball (sized to cross)
- LP Lightning Package
- CD Celtic Design
- HP Hip Roof Mount
- CC Custom Color (paint applied)

Shown with standard 4" x 4" square tube.
Other sizes also available.

Standard Colors: White, Bone, Metallic Copper, Metallic Gold, Metallic Silver, Bronze Metallic
Roof Mounted Crosses up to 24' Available - Consult Factory

Fiberglass Wall Crosses



Square Body Style

| Model | Height | Width | Weight |
|-------|--------|-------|---------|
| SC-4 | 4' | 30" | 30 lbs. |
| SC-6 | 6' | 41" | 40 lbs. |
| SC-8 | 8' | 47" | 50 lbs. |
| SC-10 | 10' | 60" | 60 lbs. |
| SC-12 | 12' | 69" | 75 lbs. |


Backlighting Kits

Filament Cord Backlights: Encased in tubing with an impact strength of 220 lbs. per square inch, our Filament Cord Backlights illuminate a full 5.5 watts per foot. That's over 140 watts of pure light for an 8' cross. With an average rated life of 25,000 hours (8-1/2 years at 8 hours per day) these UL Listed backlights are easy to replace should they ever burn out.

These beautifully crafted crosses provide a focal point that will enhance virtually any place of worship. Designed for interior or exterior use, they are available with 2 optional backlighting systems, creating a soft, warm glow that silhouettes the cross against the wall behind it. Mounting brackets are included for easy installation using simple hand tools.

Tapered Body Style

| Model | Height | Width | Weight |
|-------|--------|-------|----------|
| TC-4 | 4' | 2'6" | 30 lbs. |
| TC-6 | 6' | 4'1" | 40 lbs. |
| TC-8 | 8' | 5'0" | 50 lbs. |
| TC-10 | 10' | 6'4" | 60 lbs. |
| TC-12 | 12' | 7'6" | 75 lbs. |
| TC-18 | 18' | 6'10" | 125 lbs. |



Available in six colors...

- White
- Bone
- Bronze Metal Flake
- Copper Metal Flake
- Gold Metal Flake
- Silver Metal Flake

Effective January, 2011. All contents subject to change without notice. Line drawings approximate the look and style of the products. All dimensions are nominal.