



DESIGN PARAMETERS

The unit described in these drawings is engineered to adequately support the loads created by a wind velocity of 120 MPH at a height of 50' above ground using ASCE 7-02 exposure category "C".

P.O. BOX 1340  
HENDERSON, TX 75653-1340  
903/657-6522  
FAX# 903/657-2318

FIBERGLASS  
SPECIALTIES  
INCORPORATED



DOME UNIT #701RD

CUPOLA UNIT #701 WITH  
GOTHIC TOP KRINKLGLAS WINDOWS  
(ALSO AVAILABLE WITH VENTED LOUVERS)

CUPOLA UNIT #702

1  
E1 ELEVATION

Project:  
CUPOLA UNIT #1101RD

Date: 04-26-01  
Revisions 11-08-05 AGT  
Scale: 3/8" = 1'

Drawing By: RLB  
Checked By: ALL-STL  
File # CU1101F  
DWG #

Sheet #  
E1F  
ELEVATION

THESE DRAWINGS ARE THE PROPERTY OF FIBERGLASS SPECIALTIES INC. DIMENSIONS AND DETAILS ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL CUPOLA AND STEEPLE UNITS ARE FABRICATED USING MINIMAL STANDING SEAMS UNLESS OTHERWISE NOTED. ALL CUPOLA AND STEEPLE UNITS ARE DESIGNED TO BE ERECTED ON A COMPLETED ROOFING SYSTEM AND ARE NOT GUARANTEED TO BE LEAK PROOF.